

FFRH2522RE

Frigidaire 25,000 BTU
Window-Mounted Room
Air Conditioner with
Supplemental Heat

SIGNATURE FEATURES

Multi-Speed Fan

Features three different fan speeds, for more cooling flexibility.

Programmable 24-Hour On/Off Timer

Customize times to fit your schedule for immediate comfort when you get home. The built in timer allows you to preset the unit to turn on and off in half hour increments.

Sleep Mode

Maximum comfort throughout the evening hours with the added benefit of energy savings. With Sleep Mode, the temperature gradually increases a few degrees over the evening.

Effortless™ Temperature Control

Our air conditioners maintain the preset room temperature, so you will remain comfortable at all times.

AVAILABLE COLORS



White

MORE EASY-TO-USE FEATURES

Remote Control

Allows you to precisely control the temperature and fan speed from across the room.

Supplemental Heating Option

With our supplemental heating capability, you can be comfortable no matter regardless of the temperature outside - you have both heating and cooling solutions!

2-in-1 Cooling and Heating System

It's not only an air conditioner, it has a heating function giving you the option to use your 2-in-1 Air Conditioner and Heater year round - and in all temperatures. ¹

Easier Installation

With the slide-out chassis, you have an easier solution to installing your air conditioner. First install the outer cabinet of the AC in the window, then slide the interior of the air conditioner into place.

Easy-to-Clean Washable Filter

Capture dust from the air and keep your air conditioner working efficiently with our easy-to-clean washable filter.

SpaceWise® Adjustable Design Optional Side Panels

With the Adjustable Side Panels, the side panels will extend to best fit your window.

Power Cord

Comes with an extra long three-prong cord — makes extension cords unnecessary.

FFRH2522RE
 Frigidaire 25,000 BTU
 Window-Mounted Room Air
 Conditioner with Supplemental
 Heat

FRIGIDAIRE

General Specifications

| | |
|-------------------|----------------|
| Product Weight | 145.35 lbs |
| Prop 65 Label | Yes |
| Warranty - Labor | 1 Year |
| Warranty - Parts | 1 Year |
| Power Type | Electric |
| Size | 25,000 BTU |
| Installation Type | Window Mounted |
| Collection | Frigidaire |

Performance

| | |
|-----------------------------------|------------|
| Cool Area | 1,600 sq. |
| BTU (Cool) | 25,000 BTU |
| BTU (Electrical Heat) | 16,000 BTU |
| Combined Energy Efficiency Ratio | 9.4 |
| Dehumidification - Pints per Hour | 8 |

Safety Certifications & Approvals

| | |
|-----------------------|-----|
| CSA Listed | No |
| UL Listed | Yes |
| ETL Listed | No |
| ENERGY STAR Certified | No |

Dimensions and Volume

| | |
|-----------------------|---------|
| Height | 18 7/8" |
| Width | 26 3/4" |
| Depth | 26 1/2" |
| Window Height Minimum | 19 1/2" |
| Window Width Minimum | 31" |
| Max Wall Thickness | 10" |

AC

| | |
|------------------------|-------------------------------|
| Air CFM (Low) | 445 CFM |
| Air CFM (Med) | 485 CFM |
| Air CFM (High) | 523 CFM |
| Air Direction Control | Swing Louver |
| Fan Speeds - Cool | 3 |
| Fan Speeds - Heat | 3 |
| Filter Type | Easy-to-Clean Washable Filter |
| Fresh Air | Yes |
| Motor RPM (Low) | 930 RPM |
| Motor RPM (Med) | 1,030 RPM |
| Motor RPM (High) | 1,120 RPM |
| Noise Level dBA (Low) | 58.2 dBA |
| Noise Level dBA (Med) | 60.5 dBA |
| Noise Level dBA (High) | 63.2 dBA |
| Cabinet Louvers | Yes |
| Exhaust Vent | Yes |
| Filter Access | Yes |
| Filter Check Indicator | Yes |
| Rear Grill | Yes |
| Slide-Out Chassis | Yes |
| Window Mounting Kit | Yes |

Installation

| | |
|-------------------|-----|
| Power Cord Length | 60" |
|-------------------|-----|

Controls

| | |
|----------------|------------|
| Control Type | Electronic |
| Remote Control | Yes |

Functions

| | |
|----------------------|-----|
| 24-Hour On/Off Timer | Yes |
| Auto Fan | Yes |
| Clean Air Ionizer | No |
| Energy Saver | Yes |
| Low Voltage Start-up | Yes |
| Sleep Mode | Yes |

Electrical Specifications

| | |
|-------------------------|-------------|
| Amps (Heat Pump) | 22.5 Amps |
| Plug Type | LCDI 630P |
| Voltage Rating | 230 V |
| Watts (Electrical Heat) | 4,900 Watts |



Note: For planning purposes only. Always consult local and national electric, gas and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com / frigidaire.ca.

Specifications subject to change. Accessories information available on the web at frigidaire.com / frigidaire.ca

FRIGIDAIRE

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • frigidaire.com
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca

FFRH2522RE
©2017 Electrolux Home Products, Inc.